

EASTERN COALFIELDS LIMITED

ROAD SPOT E-AUCTION OFFER 25.04.2014

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501-5800/ G6	5650	STM(-250m m)	800	2330	BEJDIH WB, NEAR PATMOHNA, CAP:30 TE, DIMENSION-7.5 M X 2.7 M
Sodepur	Narsamuda:: Narsamuda (R-X)	6101-6400 / G4	6250	STM(-250m m)	2000	3670	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43'x 11'
Sodepur	CHINAKURI-3 PIT : Borachak R-VIII	6101-6400 / G4	6250	STM(-250m m)	2000	3670	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	Dhemomain:: Borachak (R-VIII)	6101-6400 / G4	6250	STM(-250m m)	1000	3670	Dhemomein coal Depot Cap:-60Te 43'X11'
Pandaveswar	DALURBAND: Dobrana R-VII(A&B)	6101-6400 / G4	6250	STM(-250m m)	3000	3670	DALURBAND ROAD WB-NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Kunustoria	BANSRA: : (Purandip R-VII)	5801-6100 / G5	5950	STM(-250m m)	3000	2980	NEAR Bansra Sdg, CAP: 50 TE, DIM- 9M X 3 M
Kunustoria	Amrasota Incline: : Kunustoria	5801-6100 / G5	5950	STM(-250m m)	3300	2980	NEAR AMRASOTA INCL, CAP: 25 TE, DIM- 9M X 3 M
Sripur	KALIPAHARI: : KUSHADANGA	5801-6100 / G5	5950	STM(-250m m)	1000	2980	NORTH GHUSICK W.B., LOC-NORTH GHUSICK COLLY, CAP-25 TE, SIZE-7.42 M X 3.1 M

Mugma	MANDMAN INCLINE: Kalimati B-II	5801- 6100 / G5	5950	STM(- 250m m)	2500	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim -24'6" x 9'10", Upto 10 wheeler
Mugma	Khoodia UG : Brindabanpur (B-III)	5801- 6100 / G5	5950	STM(- 250m m)	3000	2980	CENTRAL POOL, CAP- 30 TE, DIM- 24.6' X 9'10"
Salanpur	BONJEMEHA R OCP: Salanpur A & B (B-II & B- III)	5801- 6100 / G5	5950	STM(- 250m m)	2000	2980	Linked WB- BONJEMEHA RI, Capacity- 30 te, Location- Near - BONJEMEHA RI OFFICE, Dimension – 7.5m x 2.7m
SP Mines	CHITRA OCP::CHITRA	6101- 6400 / G4	6250	STM(- 250m m)	25000	3670	Linked WB- Chitra-C Capacity- 60 te, Location-, near check post, Dimension -9MX3M
Rajmahal	RAJMAHAL OCP : Seam III, II & Comb, III & II Top, II Top & II Bottom	4901- 5200 / G8	5050	STM(- 250m m)	16180	2712	Linked WB - Neema, Capacity- 60 Te, DIM – 9M X 3M
Sodepur	PATMOHONA PIT : Borachak(R-VIII)	6101- 6400 / G4	6250	STM(- 250m m)	500	3670	NEAR RANISAYER [PATMOHNA], CAPACITY : 30 TE. DIENSIION- 6.1 M X 2
Mugma	CHAPAPUR II U/G::KALIMATI (B-II)	5801- 6100 / G5	5950	STM(- 250m m)	4500	2980	Linked WB- Hariazam, Capacity- 30 te, Location- Hariazam, Dimension - 24'10" x 9'10" [Upto 10 wheeler
Kajora	JAMBAD OCP:: JAMBAD R-VIII	6101- 6400 / G4	6250	STM(- 250m m)	6000	3670	LINKED WB- JAMBAD NEAR 3 PIT, CAP.-25 TE, DIM. – 6.13 M X 2.48 M

RAIL SPOT E-AUCTION OFFER : Auction Date : 25.04.2014

MUGMA	MMU-III (A)	5801-6100 / G5	5950	STM(-250 mm)	5	2980	ASANSOL RAIL W/B CAP-100TE / WARIA RAIL WB CAP- 100 TE/ PANDRA WB
-------	--------------	----------------	------	--------------	---	-------------	---