

**EASTERN COALFIELDS LIMITED
COAL HOUSE, KOLKATA- 700 001**

ECL/KOL/SPOT E-AUCTION/ALLOC/JULY'14/1 97

Dt: 22.07.2014

SUB: SPOT E -AUCTION OFFER

ROAD SPOT E-AUCTION OFFER 30.07.2014

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Sodepur	Narsamuda:: Narsamuda (R-X)	6101- 6400 / G4	6250	STM(- 250m m)	1000	3670	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43'x 11'
Sodepur	CHINAKURI-3 PIT : Borachak R-VIII	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	PATMOHONA PIT : Borachak(R-VIII)	6101- 6400 / G4	6250	STM(- 250m m)	500	3670	NEAR RANISAYER [PATMOHNA], CAPACITY : 30 TE. DIENSION- 6.1 M X 2
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501- 5800/ G6	5650	STM(- 250m m)	500	2330	BEJDIH WB, NEAR PATMOHNA, CAP:30 TE, DIMENSION- 7.5 M X 2.7 M
Sodepur	Dhemomain;; Borachak (R-VIII)	6101- 6400 / G4	6250	STM(- 250m m)	1000	3670	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	Dhemomain;; Sripur(R-VI)	5801- 6100 / G5	5950	STM(- 250m m)	1000	2980	Dhemomein coal Depot Cap:-60Te 43'X11'
Sonepur Bazari	SONEPUR BAZARI PROJECT: Chora(R-VI, Dobrana (R-V), Chinchuria (R-IV)	6101- 6400 / G4	6250	STM(- 250m m)	5000	3670	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M

Sripur	S.S.INCLINE: Sripur (R-VI)	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
Sripur	Bhanora West Block Mine:Sripur(R-VI)	6101- 6400 / G4	6250	STM(- 250m m)	1000	3670	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Sripur	KALIPAHARI: : KUSHADANGA	5801- 6100 / G5	5950	STM(- 250m m)	500	2980	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Pandaveswar	DALURBAND: Dobrana R- VII(A&B)	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	DALURBAND ROAD WB- NEAR DALURBAND OCP, SIDING, CAP : 40 TE
Pandaveswar	KHOTTADIH OCP : : Kenda Top & Bottom(R-V)	5801- 6100 / G5	5950	STM(- 250m m)	4000	2980	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(- 250m m)	1000	2330	Linked WB- DABOR COLLY, Capacity- 25 te, Location- Near – Dabor Colly
Salanpur	BONJEMEHARI OCP: Salanpur A & B (B-II & B-III)	5801- 6100 / G5	5950	STM(- 250m m)	500	2980	Linked WB- BONJEMEHARI, Capacity- 30 te, Location- Near – BONJEMEHARI OFFICE, Dimension – 7.5m x 2.7m
SP Mines	CHITRA OCP::CHITRA	6101- 6400 / G4	6250	STM(- 250m m)	7180	3670	Linked WB-Chitra- C Capacity- 60 te, Location-, near check post, Dimension -9MX3M
Mugma	MANDMAN INCLINE: Kalimati B-II	5801- 6100 / G5	5950	STM(- 250m m)	2500	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler

Mugma	LAKHIMATA(U/G): Brindabanpur B-III	5801- 6100 / G5	5950	STM(- 250m m)	3800	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler
Mugma	KUMARDHUBI (UG): Brindabanpur B-III & Singhpur	5801- 6100 / G5	5950	STM(- 250m m)	3000	2980	Linked WB- Kumardhubi, Capacity- 30 te, Location- Kumardhubi, Dimension - 30'5" x 8'3" [Upto 10 wheeler
Mugma	Barmuri Project:Kalimati (B- II)	5801- 6100 / G5	5950	STM(- 250m m)	4000	2980	Linked WB- BARMURI WB, Cap- 50 te, Loc- BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler
Mugma	Shampur B (UG): Gopinathpur (B-IV)	5801- 6100 / G5	5950	STM(- 250m m)	4200	2980	Linked WB- Centralpool, Cap- 30 te, Loc- Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler