

**EASTERN COALFIELDS LIMITED
COAL HOUSE, KOLKATA- 700 001**

ECL/KOL/SPOT E-AUCTION/ALLOC/AUG'14/229

Dt: 13.08.2014

ROAD SPOT E-AUCTION OFFER 22.08.2014

Area	Source	Range / Grade	Mid GCV	Size	Quantity Offered	Reserve Price	Weighbridge Details
Sodepur	Narsamuda:: Narsamuda (R-X)	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	Narsamuda Road WB Loc: Narsamuda colly Cap-50Te 43'x 11'
Sodepur	CHINAKURI-3 PIT : Borachak R-VIII	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	Chinakuri Road W.B. Cap-30 Te Dim-29'5" X 9'10"
Sodepur	PARBELIA : : HIJULI (R-V I I I)	6101- 6400 / G4	6250	STM(- 250m m)	500	3670	WEIGHBRIDGE LOCATION- Parbelia Colly, CAPACITY- 60 TE EPS, DIENSION- 12 M X 3 M
Sodepur	BEJDIH:: SRIPUR(R-VI)	5501- 5800/ G6	5650	STM(- 250m m)	500	2330	BEJDIH WB, NEAR PATMOHNA, CAP:30 TE, DIMENSION- 7.5 M X 2.7 M
Sodepur	Dhemomain;; Borachak (R-VIII)	6101- 6400 / G4	6250	STM(- 250m m)	750	3670	Dhemomein coal Depot Cap:-60Te 43'X11'
Sodepur	Dhemomain;; Sripur(R-VI)	5801- 6100 / G5	5950	STM(- 250m m)	750	2980	Dhemomein coal Depot Cap:-60Te 43'X11'
Sonepur Bazari	SONEPUR BAZARI PROJECT: Chora(R-VI, Dobrana (R-V), Chinchuria (R-IV)	6101- 6400 / G4	6250	STM(- 250m m)	5000	3670	SONEPUR PROJ. W.B, NEAR S. BAZARI PROJ, CAP-50 TE, DIM- 17M X 3M
Sripur	S.S.INCLINE: Sripur (R-VI)	6101- 6400 / G4	6250	STM(- 250m m)	1500	3670	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER

Sripur	Bhanora West Block Mine:Sripur(R-VI)	6101-6400 / G4	6250	STM(-250m m)	1500	3670	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Sripur	KALIPAHARI: : KUSHADANGA	5801-6100 / G5	5950	STM(-250m m)	500	2980	NORTH GHUSICK W.B., LOC- NORTH GHUSICK COLLY, CAP-25 TE, SIZE- 7.42 M X 3.1 M
Sripur	NINGHA: Dishergarh(R-IV)	6401-6700 / G3	6550	STM(-250m m)	1000	4070	NEAR COAL DEPOT OF SSI COLLIERY; 60 TONNES; 10 WHEELER
Pandaveswar	KHOTTADIH OCP : : Kenda Top & Bottom(R-V)	5801-6100 / G5	5950	STM(-250m m)	4000	2980	KHOTTADIH OCP WB; CAPACITY-50 TE LOCATION NEAR PAW-II AA SDG, DIM 9 M X 3 M
Salanpur	DABOR OCP: : Salanpur A (B-II)	5501 – 5800 / G6	5650	STM(-250m m)	4000	2330	Linked WB-DABOR COLLY, Capacity- 25 te, Location- Near – Dabor Colly
SP Mines	CHITRA-A OC: :Saharjori / Patrika	6401-6700 / G3	6550	STM(-250m m)	14000	4070	Linked WB-Chitra, A / Chitra-B Capacity- 40 te & 60 te, resp Dimension – 9 m x 3 m
SP Mines	CHITRA OCP::CHITRA	6101-6400 / G4	6250	STM(-250m m)	7700	3670	Linked WB-Chitra-C Capacity- 60 te, Location-, near check post, Dimension -9MX3M
Mugma	MANDMAN INCLINE: Kalimati B-II	5801-6100 / G5	5950	STM(-250m m)	2500	2980	Linked WB-Centralpool, Cap-30 te, Loc-Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler
Mugma	LAKHIMATA(U/G): Brindabanpur B-III	5801-6100 / G5	5950	STM(-250m m)	3800	2980	Linked WB-Centralpool, Cap-30 te, Loc-Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler

Mugma	KUMARDHUBI (UG): Brindabanpur B-III & Singhpur	5801-6100 / G5	5950	STM(-250m m)	3000	2980	Linked WB-Kumardhubi, Capacity- 30 te, Location-Kumardhubi, Dimension - 30'5" x 8'3" [Upto 10 wheeler
Mugma	Barmuri Project:Kalimati (B-II)	5801-6100 / G5	5950	STM(-250m m)	4000	2980	Linked WB-BARMURI WB, Cap- 50 te, Loc-BARMURI OCP, Dim -9M x 3M, Upto 10 wheeler
Mugma	Shampur B (UG): Gopinathpur (B-IV)	5801-6100 / G5	5950	STM(-250m m)	4200	2980	Linked WB-Centralpool, Cap-30 te, Loc-Centralpool, Dim - 24'6" x 9'10", Upto 10 wheeler