



# ईस्टर्न कोलफील्ड्स लिमिटेड EASTERN COALFIELDS LIMITED

(कोल इंडिया लिमिटेड की एक अनुषंगी) (A Subsidiary of Coal India Ltd) (भारत सरकार का उपक्रम) (A Govt. of India Undertaking)

Dated: 21.03.2025

## SUB: E-AUCTION OFFER

### KIND ATTEN: SHRI RITABRATA CHAKRABORTY, SR MANAGER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE, KOLKATA –700091

FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HEREWITH THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **28<sup>TH</sup> OF MARCH**, **2025**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022. YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

#### NOTICE FOR BIDDERS/BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

#### Post auction activities

Coal value and requisite documents are to be deposited within a period of 10 working days after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in road mode will be issued within 7 days after verification of coal value and documents submitted. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple
  rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day.
  In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth
  liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of
  rake, customers are advised for sequencing of rakes during endorsement/allotment.
- Documents to be submitted for booking Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- Exact amount to be deposited: Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.

### विपणन एवं विक्रय, ईसीएल 🔸 MARKETING & SALES, ECL





# ईस्टर्न कोलफील्ड्स लिमिटेड EASTERN COALFIELDS LIMITED

(कोल इंडिया लिमिटेड की एक अनुषंगी) (A Subsidiary of Coal India Ltd) (भारत सरकार का उपक्रम) (A Govt. of India Undertaking)

Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity (4000+130) 4130 tonnes per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of 130 tonnes in the form of cash or bank guarantee until dispatching and invoicing of the rake. The additional coverage for 130 tonnes along with coverage of 4000 tonne is also to be deposited within 10 working days as per the scheme.

- Process Fee: In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in
  cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid
  quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee
  shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding
  process.
- Separate amount of advance: The coal customers against E-Auction sale are advised to deposit the amount
  of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN
  separately.

Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- Cancellation of Rakes: Reference is made to Clauses 4.2.2, 7.6,11.8,11.9,11.10 of updated ClL's e-Auction Scheme in accordance with these clauses, if a bidder refuses to accept the coal offered for loading, Coal Company has the right to cancel the e-Auction rake. In such cases, the Earnest Money Deposit (EMD) will be forfeited as provisions in the e-Auction Scheme.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22<sup>nd</sup> Dec 2022, then last date of deposition of Bid Security in the form of BG is 19<sup>th</sup> Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -

Bank Name: ICICI Bank Account No.:- 029105006160

Cust ID: 582866895

Bank Branch IFSC Code: ICIC0000291

Unique Identifier for Field 7037:- ECL582866895

Alert for message type- Issuance & Amendment both (5017 & 5018 both).

The requisite documents along with application may be sent in mail id <u>Associatefin.ecl@coalindia.in</u> within 2 working days of deposition of coal value.

GM (M&S) ECL (HQ)

			Auction Floor	r							
				Notified price of		1					
Cluster Name	Total offer of Cluster	Representati ve Grade	Representa tive Size	representative grade incl. STM charges	Floor Price						
Salanpur C	64000	G8	-100 MM,STEAM	2183	2183	]					
Cluster Description											
Loading Points	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
G/Begunia OC	Road	N/A	G8	-100 MM,STEAM	2183	2183	60000	N/A	N/A	4515	Linked to G/Begunia OC WB CAP: 60tes, 2 Nos.
SLS-I / BJSP	Rail	G/Begunia OC	G8	-100 MM,STEAM	2183	2183	4000	100%	BJSP	4001	Dalmiya EIM WB, Cap: 140 tes
			Auction Floor	<u> </u>							
Cluster Name	Total offer of Cluster	Representati ve Grade		Notified price of representative grade incl. STM charges	Floor Price						
Belbaid	60500	G4	-100 MM,STEAM	3528	4410	1					
Cluster						_					
Description  Loading Points	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Narainkuri Highwall UG	Road	N/A	G4	-100 MM,STEAM	3528	4410	500	N/A	N/A	4371	Near Belbaid Siding, CAP: 50 Te
TOP-I (BL) / Belbaid	Rail	Narainkuri Highwall UG	G4	-100 MM,STEAM	3528	4410	60000	100%	SWKT	4001	SONACHARA Rail In Motion WB, CAP:140 TES
			Auction Floor			]					
Cluster Name	Total offer of Cluster	Representati ve Grade	Auction Floo Representa tive Size	Notified price of representative grade incl. STM	Floor Price	-					
			Representa	Notified price of representative	Floor Price						
Satgram-Sripur A	of Cluster	ve Grade	Representa tive Size	Notified price of representative grade incl. STM charges							
Satgram-Sripur A	of Cluster	ve Grade	Representa tive Size	Notified price of representative grade incl. STM charges		Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Satgram-Sripur A  Cluster  Description	of Cluster 5500	G4 Feeding	Representa tive Size  -100 MM,STEAM	Notified price of representative grade incl. STM charges 3528	4410  Notified price of representative grade incl. STM	1	capacity under	Pattern from feeding		1	Weighbridge Details  Near Nimcha Siding, Capacity-60 Te
Cluster Description  Loading Points	5500  Mode	G4  Feeding Collieries	Representa tive Size -100 MM,STEAM Grade	Notified price of representative grade incl. STM charges 3528	Notified price of representative grade incl. STM charges	Price	capacity under offer (tes)	Pattern from feeding collieries	Code	code	Near Nimcha Siding, Capacity-60 Te
Cluster Description  Loading Points	5500  Mode	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High	Representa tive Size -100 MM,STEAM  Grade	Notified price of representative grade incl. STM charges 3528	Notified price of representative grade incl. STM charges	Price 4410	capacity under offer (tes)	Pattern from feeding collieries N/A	Code	code	Near Nimcha Siding,
Cluster Description  Loading Points  Nimcha UG	of Cluster 5500  Mode  Road	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC	Representa tive Size -100 MM,STEAM  Grade  G4	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM	Notified price of representative grade incl. STM charges	4410 4410	capacity under offer (tes)	Pattern from feeding collieries N/A 0%-20% 0%-20% 60%-80%	Code N/A	<b>code</b> 4412	Near Nimcha Siding, Capacity-60 Te Nimcha UP 140 MT
Cluster Description  Loading Points  Nimcha UG	of Cluster 5500  Mode  Road	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High	Representa tive Size -100 MM,STEAM  Grade  G4  G4  G5	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -100 MM,STEAM  Notified price of representative grade incl. STM	Notified price of representative grade incl. STM charges	4410 4410	capacity under offer (tes)	Pattern from feeding collieries N/A 0%-20% 0%-20% 60%-80%	Code N/A	<b>code</b> 4412	Near Nimcha Siding, Capacity-60 Te Nimcha UP 140 MT
Cluster Description  Loading Points  Nimcha UG  RNG-I	of Cluster 5500  Mode  Road  Rail	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High Wall  Representati	Representa tive Size -100 MM,STEAM  Grade  G4 -G4 -G5  Representa	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -Notified price of representative	Notified price of representative grade incl. STM charges  3528  3528  3247	4410 4410	capacity under offer (tes)	Pattern from feeding collieries N/A 0%-20% 0%-20% 60%-80%	Code N/A	<b>code</b> 4412	Near Nimcha Siding, Capacity-60 Te Nimcha UP 140 MT
Cluster Name SATGRAM-SRIPUR D Cluster Name Cluster Name Cluster Name Cluster Name	Mode  Road  Rail  Total offer of Cluster	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High Wall  Representati ve Grade	Representa tive Size  -100 MM,STEAM  Grade  G4  G5  Representa tive Size  -100	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -100 MM,STEAM  Notified price of representative grade incl. STM charges	Notified price of representative grade incl. STM charges  3528  3528  3247  Floor Price	4410 4410	capacity under offer (tes)	Pattern from feeding collieries N/A 0%-20% 0%-20% 60%-80%	Code N/A	<b>code</b> 4412	Near Nimcha Siding, Capacity-60 Te Nimcha UP 140 MT
Cluster Description  Loading Points  Nimcha UG  RNG-I  Cluster Name  SATGRAM- SRIPUR D	Mode  Road  Rail  Total offer of Cluster	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High Wall  Representati ve Grade	Representa tive Size  -100 MM,STEAM  Grade  G4  G5  Representa tive Size  -100	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -100 MM,STEAM  Notified price of representative grade incl. STM charges	Notified price of representative grade incl. STM charges  3528  3528  3247  Floor Price	4410 4410	capacity under offer (tes)	Pattern from feeding collieries  N/A  0%-20%  0%-20%  60%-80%  0%-20%  Supply Pattern from feeding	Code N/A	<b>code</b> 4412	Near Nimcha Siding, Capacity-60 Te  Nimcha UP 140 MT Railway WB  Weighbridge Details
Cluster Name  SATGRAM- SRIPUR D  Cluster Description	Mode  Road  Rail  Total offer of Cluster  5000	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High Wall  Representati ve Grade  G4  Feeding Collieries	Representa tive Size  -100 MM,STEAM  Grade  G4  G5  Representa tive Size  -100 MM,STEAM	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -100 MM,STEAM  Notified price of representative grade incl. STM charges  3528	Notified price of representative grade incl. STM charges  3528  3528  3528  4410  Floor Price  4410  Notified price of representative grade incl. STM	4410 4410 4059	capacity under offer (tes)  1500  4000  Evacuation capacity under	Pattern from feeding collieries  N/A  0%-20% 0%-20% 60%-80% 0%-20%  Supply Pattern from	N/A NMCL SAP Siding	4412 4001	Near Nimcha Siding, Capacity-60 Te Nimcha UP 140 MT Railway WB
Cluster Description  Nimcha UG  RNG-I  Cluster Name  SATGRAM- SRIPUR D  Cluster Description  Loading Points	Mode Road Rail  Total offer of Cluster 5000	Feeding Collieries  N/A  Nimcha UG Kalidaspur UG Amkola OC Nimcha High Wall  Representati ve Grade  G4  Feeding Collieries	Grade  G4  G5  Representative Size  -100  MM,STEAM	Notified price of representative grade incl. STM charges  3528  Size  -100 MM,STEAM  -100 MM,STEAM  Notified price of representative grade incl. STM charges 3528  Size	Notified price of representative grade incl. STM charges  3528  3528  3247  Floor Price  4410  Notified price of representative grade incl. STM charges	4410 4410 4059  Reserve Price	capacity under offer (tes)  1500  4000  Evacuation capacity under offer (tes)	Pattern from feeding collieries  N/A  0%-20%  0%-20%  60%-80%  0%-20%  Supply Pattern from feeding collieries	N/A NMCL SAP Siding Code	4412 4001  SAP Plant code	Near Nimcha Siding, Capacity-60 Te  Nimcha UP 140 MT Railway WB  Weighbridge Details  Near Ninga Depot,

DN-IE	Rail	Chapuikhas UG  JK Nagar UG  Pure Searsole  UG  Bhanora West  Block UG  Bhanora OC	G4	-100 MM,STEAM	3528	4410	4000	0% - 20% 0% - 20% 0% - 20% 0% - 20% 40% - 60%	JNCN	4001	JK Nagar Down 140 MT Railway WB
		SSI (Ningha) OC	G5		3247	4059		0%-20%			

			Auction Floo	r							
Name	Total offer	Representati ve Grade	Representa tive Size	Notified price of representative grade incl. STM charges	Floor Price						
Mugma I	5000	G5	-250 MM,STEAM	3247	4059						
Offer Description											
Source	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Deta
Rajpura OC	Road	N/A	G5	-250 MM,STEAM	3247	4059	1000	N.A.	N.A.	4615	Rajpura OC Road WB , Capacity: 60 Te.
		Hariajam UG Lakhimata UG Rajpura OC Barmuri OC						0% - 20% 0% - 20% 0% - 20% 30%-50%			

3758

4059

0% - 20%

0% - 20%

0% - 20% 0% - 20%

30%-50%

40% -60%

**PMCS** 

4001

4000

Pandra Rail Weighbridge, Capacity: 100 MT

MMU IIIA / PMCS	Rail	Shyampur B UG	G-6	-100 MM,STEAM	3006
		Badjna UG Badjna OC	G-6		
		Chapapur OC	G-5		3247
			Auction Floor	r	
Cluster Name	Total offer of Cluster	Representati ve Grade	Auction Floo Representa tive Size	Notified price of representative grade incl. STM charges	Floor Price

-100 MM,STEAM

Khoodia UG Kumardubi UG

MMU IIIA / PMCS

Cluster

Description											
Loading Points	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Dhemomain Pit	Road	N/A	G4	-100 MM,STEAM	3528	4410	1200	N/A	N/A	4568	DhemomainRoad WB, Cap: 60Te
	Rail	Dhemo main Pit UG		-100 MM,STEAM	3528	4410		0-20%	-		
		Dhemomain Incline UG						0-20%			
CK-III		Narsamuda UG	-				4000	0-20% ASCR	ASCR	4001	Radhanagar ECL owned Railway Weigh Bridge:
		Patmohona UG							.001	140 TE	
		Methani UG						20-40%	1		
		Parbelia UG					1	0-20%	1		
		D=:4:F 11C		ı	22.47	4050	1	20 400/	1	ı	1